

Introduction to Computing

MCS1101B

Lecture 3-4

By
Soumadip Biswas
Associate Professor, IEM



Recap

- Expressions
 - Arithmetic
 - Assignment
 - Logical
- Special operators
 - SizeOf
 - AddressOf (&)

- Typecasting
- Statements
 - Declaration
 - Assignment
 - Control
 - Branching
 - Looping
 - Input /Output

Conditional Statements

- Allow different sets of instructions to be executed depending on truth or falsity of a logical condition

aka. Branching

How do we specify conditions?

- Using expressions
 - non-zero value means condition is true
 - value 0 means condition is false
- Usually logical expressions, but can be any expression
 - The value of the expression will be used

The **if** Statement

```
if (expression)  
    statement;
```

*The condition to be tested is any **expression** enclosed in parentheses. The **expression** is evaluated, and if its value is **non-zero**, the statement is executed.*

```
if (expression)  
    compound statement;
```

```
if (expression)  
{  
    statement 1;  
    ...  
    statement n;  
}
```

if else Statement

```
if (expression)
    statement / compound statement;
else
    statement / compound statement;
```

Example:

Grade Computation

Find the larger of two numbers

Find the largest of three numbers

```
if (expression)
    statement / compound statement;
else if (expression)
    statement / compound statement;
else
    statement / compound statement;
```

Nested if else

- It is not necessary for all if statements to have an else part
- Every else gets matched to the closest preceding unmatched if statement
- It's very easy to create *confusion* while writing a nested if-else
- So it is always a good idea to use parentheses to avoid any ambiguity

Ambiguous statement

```
if (expression)
if (expression)
    statement;
else
    statement;
```

The **conditional** operator ?:

Another way of writing if else statement

- `<condition>?<expression1>:<expression2>;`
 - If condition is true then expression1 is executed
 - If condition is false then expression2 is executed

...used for convenience

```
int x = 10, y = 20, max;
```

```
if (x > y)
```

```
    max = x;
```

```
else
```

```
    max = y;
```

Using conditional operator...

```
max = (x > y) ? x : y;
```

The **switch** statement

- This statement can be used instead of writing lot of if else statement
- You can provide statements different cases
- switch statement with match the provided value with the case number and execute statements from that point onwards
- All statements below a matched case is executed

```
switch (<expression>)  
{  
    case <const-expr> : <statements>  
    case <const-expr> : <statements>  
    ...  
    case <const-expr> : <statements>  
    default : <statements>  
}
```

Example: Evaluation of expressions

The **break** statement

- The break statement takes the sequence of execution out of the block
 - Works with looping as well
 -
- switch-case does not work exactly like a if else if else if...
- We use break statements to mimic the behaviour

```
switch (<integer_value>)  
{  
    case <integer> : <statements>  
                    break;  
    case <integer> : <statements>  
                    break;  
    ...  
    case <integer> : <statements>  
                    break;  
    default : <statements>  
}
```

Looping Statements

- Group of statements that are executed repeatedly while some condition remains true
- Each execution of the group of statements is called an **iteration** of the loop

Example:

- Read 5 integers and display their sum
- Find the smallest number among 100 integers
- Grade computation for entire class

The **while** statement

- The condition to be tested is any expression enclosed in parentheses
- The expression is evaluated, and if its value is non-zero, the statement is executed
- Then the expression is evaluated again and the same thing repeats
- The loop terminates when the expression evaluates to 0

```
while (expression)  
    statement;
```

```
while (expression)  
    <Compound statement>
```

The **while** statement (contd.)

Examples

- Sum of the first N natural numbers
- Sum of the squares of the first N natural numbers
- Compute GCD of two numbers
- Calculate maximum of many positive numbers
- Compute the sum of digits of a number

The **for** statement

```
for ( expr1; expr2; expr3)  
    statement;
```

```
for ( expr1; expr2; expr3)  
    <Compound statement>
```

- **expr1** (init) : initialize parameter(s)
- **expr2** (test): test condition, loop continues if expression is non-0
- **expr3** (update): used to alter the value of the parameter(s) after each iteration
- **statement** (body): body of loop

The **for** statement (contd.)

Example:

Computing Factorial

Equivalence of **for** and **while** ⇒

Sum of N natural numbers

```
for ( expr1; expr2; expr3)  
    statement;
```

```
expr1;  
while (expr2)  
{  
    statement  
    expr3;  
}
```

The **do while** statement

- Another way of doing looping
- Used for convenience
- Example
 - Decimal to binary conversion

```
do  
statement;  
while (expression);  
  
do  
{  
Block of statements;  
} while (expression);
```

Illustrative Example



Infinite loops and the break statement

- `while (1)`
`{ statements }`
- `for (; ;)`
`{ statements }`
- `do`
`{ statements } while (1);`
- Use `break` statement to come out of the loop body
 - can be used with `while`, `do while`, `for`, `switch`
 - does not work with `if`, `else`
- Causes immediate exit from a `while`, `do/while`, `for` or `switch` structure
- Program execution continues with the first statement after the structure

The **continue** statement

- Skips the remaining statements in the body of a while, for or do/while structure
 - Proceeds with the next iteration of the loop
- while and do/while loop
 - Loop-continuation test is evaluated immediately after the continue statement is executed
- for loop
 - `expr3` is evaluated, then `expr2` is evaluated

Nested Loops: Printing a 2-D Figure

- How would you print the following diagram?

* * * * *

* * * * *

* * * * *

* * * * *

- Nested Loops
 - break and continue with nested loops

*
* *
* * *
* * * *
* * * * *
* * * * * *

Half Pyramid

* * * * *
* * * * *
* * * *
* * *
* *
*
*

Inverted
Half Pyramid

* * * * *
* *
* *
* *
* *
* *
*

Hollow Inverted
Half Pyramid

 *
 * *
 * * *
 * * * *
 * * * * *
 * * * * * *

Full Pyramid

* * * * *
* * * * *
 * * * *
 * * *
 * *
 *
 *


Inverted Full Pyramid

 *
 * *
 * *
 * *
 * *
 * *
* * * * *

Hollow Full Pyramid


Sequence of Execution

- The flow of a program i.e. the steps and branches can be represented in graphically
- Represented using Flow chart
 - Example: a for loop \Rightarrow
 - *Let's understand this on the board*



Functions

- A program segment that carries out some specific, well-defined task
- Example
 - A function to add two numbers
 - A function to find the largest of n numbers
- A function will carry out its intended task whenever it is **called** or **invoked**
 - Can be **called** multiple times



Functions (contd.)

- Examples

- Print a banner
- Factorial computation
- Gcd computation

- A function definition has two parts:

- The first line, called header
- The body of the function
- May or may not have a return value

return-value-type **function-name** (parameter-list)

```
{  
    declarations and statements  
}
```

In The Next Class...

- You will learn about array and pointers
- You will learn more about functions