

---

## Part A

---

**Q1.1.**

**Mark 1**

*Which of the following are not valid variable name(s) in C language?*

\_ , \_name, 100% valid, while\_for, roll-number, main, invalid

100% valid, roll-number

**Q1.2.**

**Mark 1**

*Write the output of the following statement.*

```
printf ("Values = %d %d %f %f ", 8/3*3, 2+5/2%3-1, (float) (7/2), (float)7/2 );
```

Values = 6 3 3.00 3.50

**Q1.3.**

**Mark 1**

*Write the output of the following code statement.*

```
printf ("Values = %d %o %x ", 527, 527, 527);
```

527 1017 20f

**Q1.4.**

**Mark 1**

*Write the output of the following code statement.*

```
int arr[4] = { 10,20,30,40 };
int *iptr = &arr[1];
printf ("%d %d %d %d", sizeof(arr), sizeof(*iptr), *(iptr+2), arr[2] - *iptr);
```

16 4 40 10

**Q1.5.**

**Mark 1**

*Write down the function prototype for which (you can choose any name for the function)*

- The return type is a double pointer
- The parameters are as follows (in order): an array of integer variables, a floating-point value, a string and an address of some integer variable

**double\* func (int arr[], float f, char\* str, int\* addr);**

**Q1.6.**

**Mark 1**

The declaration statement for an **array of character pointer variables with size 5** is written as: **char\* arr\_ptr[5];**  
Calculate the value of **sizeof (arr\_ptr)** and **sizeof (\*arr\_ptr)**.

**sizeof (arr\_ptr) = 40 sizeof (\*arr\_ptr) = 8**

---

**Part B**

---

**Q2.1.****Mark 3**

*Write down the output of the following code snippet (Collatz conjecture, 1937):*

```
int y=12, count=0;
while (y != 1) {
    y = y%2 ? 3*y+1 : y/2 ;
    count++;
    printf("%d ", y);
}
printf("y = %d", count); //calculate this output as your answer
```

**6 3 10 5 16 8 4 2 1 y = 9**

**Q2.2.****Mark 3**

*Write down the output of the following code snippet:*

```
int x = 10;
if (x = 1) { printf ("1st if case: %d", x); }
if (--x) { printf ("2nd if case: %d", x); }
else if (x == 1) { printf ("else-if case: %d", x); }
else { printf ("else case: %d", x); }
```

**1st if case: 1 else case: 0**

**Q2.3.****Mark 3**

*Write down the output of the following code snippet:*

```
int a[] = { 4, 1, 3, 2, 3 }, i=4, j;
i = --a[i];
j = a[++a[i] ];
printf ("%d,%d,%d", a[i], a[--j], sizeof(a)); //calculate this output as your answer
```

**4, 1, 20**

**Q2.4.****Mark 3**

*Write down the output of the function call Func (2,-3):*

```
void Func (int n, int m) {
    printf ("\n %d %d", n, m); //this line will generate required output(s)
    if (n==0 && m==0) return;
    if (n>0) return Func (m, n-1);
    if (n<0) return Func (m, n+1);
}
```

**2 3**

**3 1**

**1 2**

**2 0**

**0 1**

**Q2.5.**

**Mark 3**

*Write down the output of the following code snippet:*

```
int x = 3;
switch (x++){
    default: x = 10;
        break;
    case 3:      x -= 2;
    case 100:     if( x== 1) { x = 30; } else { x = 40; }
        break;
    case 40:++x;
}
printf("%d", x); //calculate this output as your answer
```

**40**

**Q3.1.**

**Problem:** Check if the sum of even numbers in an array is equals to the sum of the odd numbers in an array

**Input:** An integer array.

**Output:** Yes or No

**Example:**

[10, 13, 11, 14] → Yes	[11, 25, 27] → No
[0, 20, 15, 5, 10, 11, -1] → Yes	[-11, -20, -30, 0, 11, -23, -27] → Yes

```
#include<stdio.h>
```

```
int main ()
{
    int arr[100];
    int i, n;
    int even_sum=0, odd_sum=0;
    printf ("Enter number of elements(<=100):");
    scanf("%d", &n);

    if(n<1 || n>100)
    {
        printf("invalid size");
        return -1;
    }

    for(i=0; i<n; i++)
        scanf("%d", &arr[i]);

    for (i=0; i <n; i++)
        if (arr[i]%2 == 0)
            even_sum += arr[i];
        else
            odd_sum += arr[i];
    if(even_sum == odd_sum)
        printf("Yes");
    else
        printf("No");

    return 0;
}
```

**Q3.2.****Mark 4**

**Problem:** Count the number of zero's in a given digit

**Input:** An integer value X.

**Output:** An integer

**Example:**

X = 100 → 2

X = -2000 → 3

X = 124 → 0

X = -10703 → 2

```
#include<stdio.h>
```

```
int main ()
{
    int count, n;

    printf ("Enter number:");
    scanf("%d", &n);

    count=0;
    while (n!=0)
    {
        if (n%10 == 0)
            count++;
        n = n/10;
    }

    printf("%d", count);

    return 0;
}
```

**Q3.3.****Mark 4**

*Problem:* Check if the given input is part of some twin prime.

*Definition of twin prime:* Two numbers **x** and **y** are called twin primes if both **x** and **y** are individually prime numbers and the difference between **x** and **y** is exactly **2**.

**Input:** An integer value **X**.

**Output:** Yes or No.

**Example:**

**X = 11 → Yes      X = 17 → Yes      X = 12 → No      X = 23 → No**

```
#include<stdio.h>
```

```
int is_prime(int n)
{
    int i;
    for (i=2; i <= n/2; i++)
        if (n%i==0)
            return 0;
    return 1;
}

int main ()
{
    int n;

    printf ("Enter number:");
    scanf("%d", &n);

    if(is_prime(n))
        if(is_prime(n-2) || is_prime(n+2))
            printf("Yes");
        else printf("No");

    return 0;
}
```